



DN10

MULTICOUPLINGS
MULTIKUPPLUNGEN

SERIE 152.10M

Materials



Material Code

A = Brass

B = Brass

S = AISI 303



0 - 16 bar



-26°C to + 200°C (FPM)

Shut Off Type



COUPLING
PLUG


OV 200 - 01700
OV 200 - 00600
OV 157 - 02100

OV 200 - 00600
OV 178 - 01875
OV 157 - 02100

FF

DN

10 mm



Options

EPDM

COLOURED
PLATE

Applications

- Temperature controlling

Compatible with


TST Design

12 ⇌ 12


SERIE 152.10M

Multi Couplings Systems for quick changing of injection moulding and die cast equipments**Multikupplungensysteme** für schnelles Wechseln und Verbinden der Kokillen und Spritzgußformen

Machine Side




Mould Side



Part No.	Unit	Ø
MM152.10-24	-	without couplings
MM152.10-24 HGB 10	24	Hose tail 10 mm
MM152.10-24 HGB 13	24	Hose tail 13 mm
MM152.10-24 FGB 10	24	Push-Lock Hose tail 10 mm
MM152.10-24 FGB 13	24	Push-Lock Hose tail 13 mm
MM152.10-24 DGB 17	24	BSP female 3/8"
MM152.10-24 NGB 17	24	NPT female 3/8"

Part No.	Unit	Ø
MK152.10-24	-	without plugs
MK152.10-24 DUB 17	24	BSP female 3/8" with valve
MK152.10-24 NUB 17	24	NPT female 3/8" with valve
MK152.10-24 DU 17	24	BSP female 3/8" without valve
MK152.10-24 NU 17	24	NPT female 3/8" without valve

Parking Plate



Part No.

MM108.06 P

MULTICOUPLINGS

MULTIKUPPLUNGEN


10 ↔ 10

SERIE 152.10M


Multi Couplings Systems for quick changing of injection moulding and die cast equipments

Multikupplungensysteme für schnelles Wechseln und Verbinden der Kokillen und Spritzgußformen

Machine Side




Mould Side



Part No.	Unit	Ø
MM152.10-20	-	without couplings
MM152.10-20 HGB 10	20	Hose tail 10 mm
MM152.10-20 HGB 13	20	Hose tail 13 mm
MM152.10-20 FGB 10	20	Push-Lock Hose tail 10 mm
MM152.10-20 FGB 13	20	Push-Lock Hose tail 13 mm
MM152.10-20 DGB 17	20	BSP female 3/8"
MM152.10-20 NGB 17	20	NPT female 3/8"

Part No.	Unit	Ø
MK152.10-20	-	without plugs
MK152.10-20 DUB 17	20	BSP female 3/8" with valve
MK152.10-20 NUB 17	20	NPT female 3/8" with valve
MK152.10-20 DU 17	20	BSP female 3/8" without valve
MK152.10-20 NU 17	20	NPT female 3/8" without valve

Parking Plate



Part No.

MM108.06 P

MULTICOUPLINGS


MULTIKUPPLUNGEN

8 ↔ 8


SERIE 152.10M

Multi Couplings Systems for quick changing of injection moulding and die cast equipments**Multikupplungensysteme** für schnelles Wechseln und Verbinden der Kokillen und Spritzgußformen

Machine Side




Mould Side



Part No.	Unit	Ø
MM152.10-16	-	without couplings
MM152.10-16 HGB 10	16	Hose tail 10 mm
MM152.10-16 HGB 13	16	Hose tail 13 mm
MM152.10-16 FGB 10	16	Push-Lock Hose tail 10 mm
MM152.10-16 FGB 13	16	Push-Lock Hose tail 13 mm
MM152.10-16 DGB 17	16	BSP female 3/8"
MM152.10-16 NGB 17	16	NPT female 3/8"

Part No.	Unit	Ø
MK152.10-16	-	without plugs
MK152.10-16 DUB 17	16	BSP female 3/8" with valve
MK152.10-16 NUB 17	16	NPT female 3/8" with valve
MK152.10-16 DU 17	16	BSP female 3/8" without valve
MK152.10-16 NU 17	16	NPT female 3/8" without valve

Parking Plate



Part No.

MM108.06 P

MULTICOUPLINGS

MULTIKUPPLUNGEN


6 ⇌ 6

SERIE 152.10M


Multi Couplings Systems for quick changing of injection moulding and die cast equipments

Multikupplungensysteme für schnelles Wechseln und Verbinden der Kokillen und Spritzgußformen

Machine Side




Mould Side




Part No.	Unit	Ø
MM152.10-12	-	without couplings
MM152.10-12 HGB 10	12	Hose tail 10 mm
MM152.10-12 HGB 13	12	Hose tail 13 mm
MM152.10-12 FGB 10	12	Push-Lock Hose tail 10 mm
MM152.10-12 FGB 13	12	Push-Lock Hose tail 13 mm
MM152.10-12 DGB 17	12	BSP female 3/8"
MM152.10-12 NGB 17	12	NPT female 3/8"

Part No.	Unit	Ø
MK152.10-12	-	without plugs
MK152.10-12 DUB 17	12	BSP female 3/8" with valve
MK152.10-12 NUB 17	12	NPT female 3/8" with valve
MK152.10-12 DU 17	12	BSP female 3/8" without valve
MK152.10-12 NU 17	12	NPT female 3/8" without valve

Machine Side with Collector



Parking Plate



Part No.	Unit	Ø
MM152.10-12C	12	BSP female 1"
MM152.10-12CN	12	NPT female 1"

Part No.
MM152.10 P



MULTICOUPLINGS
MULTIKUPPLUNGEN

5 $\rightleftharpoons$ 5

SERIE **152.10M**


Multi Couplings Systems for quick changing of injection moulding and die cast equipments

Multikupplungssysteme für schnelles Wechseln und Verbinden der Kokillen und Spritzgußformen



Part No.	Unit	Ø
MM152.10-12	-	without couplings
MM152.10-10 HGB 10	10	Hose tail 10 mm
MM152.10-10 HGB 12	10	Hose tail 12 mm
MM152.10-10 FGB 10	10	Push-Lock Hose tail 10 mm
MM152.10-10 FGB 13	10	Push-Lock Hose tail 13 mm
MM152.10-10 DGB 17	10	BSP female 3/8"
MM152.10-10 NGB 17	10	NPT female 3/8"

Part No.	Unit	Ø
MK152.10-10	10	BSP male 1/2" without valve
MK152.10-10 V	10	BSP male 1/2" with valve



Part No.
MM152.10 P

MULTICOUPLINGS

MULTIKUPPLUNGEN


4 ↔ 4

SERIE 152.10M


Multi Couplings Systems for quick changing of injection moulding and die cast equipments

Multikupplungssysteme für schnelles Wechseln und Verbinden der Kokillen und Spritzgußformen

Machine Side




Mould Side



Part No.	Unit	Ø
MM152.10-12	-	without couplings
MM152.10-08 HGB 10	8	Hose tail 10 mm
MM152.10-08 HGB 12	8	Hose tail 12 mm
MM152.10-08 FGB 10	8	Push-Lock Hose tail 10 mm
MM152.10-08 FGB 13	8	Push-Lock Hose tail 13 mm
MM152.10-08 DGB 17	8	BSP female 3/8"
MM152.10-08 NGB 17	8	NPT female 3/8"

Part No.	Unit	Ø
MK152.10-12	-	without plugs
MK152.10-08 DUB 17	8	BSP female 3/8" with valve
MK152.10-08 NUB 17	8	NPT female 3/8" with valve
MK152.10-08 DU 17	8	BSP female 3/8" without valve
MK152.10-08 NU 17	8	NPT female 3/8" without valve

Parking Plate



Part No.


MM152.10 P

3 ↔ 3


SERIE 152.10M

Multi Couplings Systems for quick changing of injection moulding and die cast equipments**Multikupplungssysteme** für schnelles Wechseln und Verbinden der Kokillen und Spritzgußformen

Machine Side




Mould Side



Part No.	Unit	Ø
MM152.10-06	-	without couplings
MM152.10-06 HGB 10	6	Hose tail 10 mm
MM152.10-06 HGB 12	6	Hose tail 12 mm
MM152.10-06 FGB 10	6	Push-Lock Hose tail 10 mm
MM152.10-06 FGB 13	6	Push-Lock Hose tail 13 mm
MM152.10-06 DGB 17	6	BSP female 3/8"
MM152.10-06 NGB 17	6	NPT female 3/8"

Part No.	Unit	Ø
MK152.10-06	-	without plugs
MK152.10-06 DUB 17	6	BSP female 3/8" with valve
MK152.10-06 NUB 17	6	NPT female 3/8" with valve
MK152.10-06 DU 17	6	BSP female 3/8" without valve
MK152.10-06 NU 17	6	NPT female 3/8" without valve

Parking Plate




Part No.

MM152.10 P


MULTICOUPLINGS
MULTIKUPPLUNGEN

SERIE 152.10M


QUICK COUPLINGS SCHNELLKUPPLUNGEN




With Valve	Without Valve	SW	Ø	L
MM152.10 HGB 10	MM152.10 HGF 10	25	10	69.7
MM152.10 HGB 13	MM152.10 HGF 13	25	13	69.7



With Valve	Without Valve	SW	Ø	L
MM152.10 DGB 17	MM152.10 DGF 17	25	BSP 3/8"	53.7
MM152.10 NGB 17	MM152.10 NGF 17	25	NPT 3/8"	54.7




With Valve	Without Valve	SW	Ø	L
MM152.10 FGB 10	MM152.10 FGF 10	25	10	67.7
MM152.10 FGB 13	MM152.10 FGF 13	25	12.8	70




With Valve	Without Valve	SW	Ø	L
MM152.10 EGB 00	-	25	26	45.1

PLUGS STECKNIPPEL




With Valve	Without Valve	SW	Ø	L
MK152.10 DUB 17	MK152.10 DUF 17	25	BSP 3/8"	63.7
MK152.10 NUB 17	MK152.10 NUF 17	25	NPT 3/8"	64.7




With Valve	Without Valve	SW	Ø	L
MK152.10 EUB 21	-	22	BSP 1/2"	47


ACCESSORIES ZUBEHÖR




Part No.	Ø	L
109 EB 17.10	10	49
109 EB 17.12	12	49



Part No.	Ø	L
109 EF 17.10	10	49
109 EF 17.13	13	53.5



Part No.	Ø	L
109 EN 17	BSP 3/8"	33
109 NN 17	NPT 3/8"	33





Part No.	Ø	L
EHF 17-10	10	41
EHF 17-13	13	45

MULTICOUPLINGS
MULTIKUPPLUNGEN

SERIE **152.12M**

DN**12**

Materials



Material Code

A = Brass

B = Brass

S = AISI 303



0 - 16 bar



-26°C to + 200°C (FPM)

Shut Off Type



COUPLING
PLUG

OV 262 - 02150
OV 157 - 02600
OV 200 - 00900

OV 200 - 00900
OV 157 - 02100

FF

DN

12 mm

Multi Couplings Systems for quick changing of injection moulding and die cast equipments

Multikupplungensysteme für schnelles Wechseln und Verbinden der Kokillen und Spritzgußformen

Options

AISI303
Stainless Steel

Applications

- Temperature controlling

Compatible with



TST Design

MULTICOUPLINGS

MULTIKUPPLUNGEN



6 ↔ 6

SERIE 152.12M



Part No.	Unit	Ø
MM152.12-12	-	without couplings
MM152.12-12 HGB 10	12	Hose tail 10 mm
MM152.12-12 HGB 13	12	Hose tail 13 mm
MM152.12-12 FGB 10	12	Push-Lock Hose tail 10 mm
MM152.12-12 FGB 13	12	Push-Lock Hose tail 13 mm
MM152.12-12 DGB 17	12	BSP female 3/8"
MM152.12-12 NGB 17	12	NPT female 3/8"

Part No.	Unit	Ø
MK152.12-12	-	without plugs
MK152.12-12 DUB 17	12	BSP female 3/8" with valve
MK152.12-12 NUB 17	12	NPT female 3/8" with valve
MK152.12-12 DU 17	12	BSP female 3/8" without valve
MK152.12-12 NU 17	12	NPT female 3/8" without valve



Part No.	Unit	Ø
MM152.12-12C	12	BSP female 1 1/4"
MM152.12-12CN	12	NPT female 1 1/4"

Part No.
MM108.06 P


MULTICOUPLINGS

MULTIKUPPLUNGEN

SERIE 152.12M


QUICK COUPLINGS SCHNELLKUPPLUNGEN

with hose tail




With Valve	Without Valve	SW	Ø	L
MM152.12 HGB 13	MM152.12 HGF 13	30	12.5	73.5
MM152.12 HGB 16	MM152.12 HGF 16	30	15.5	73.5

with female thread




With Valve	Without Valve	SW	Ø	L
MM152.12 DGB 21	MM152.12 DGF 21	30	BSP 1/2"	57.5
MM152.12 NGB 21	MM152.12 NGF 21	30	NPT 1/2"	57.5

with push-lock hose tail



With Valve	Without Valve	SW	Ø	L
MM152.12 FGB 13	MM152.12 FGF 13	30	12.8	73.5
MM152.12 FGB 16	MM152.12 FGF 16	30	15.8	73.5


with male thread for collector



With Valve	Without Valve	SW	Ø	L
MM152.12 EGB 00	-	28	31	47.5

PLUGS STECKNIPPEL


with female thread



With Valve	Without Valve	SW	Ø	L
MK152.12 DUB 21	MK152.12 DUF 21	25	BSP 1/2"	66.7
MK152.12 NUB 21	MK152.12 NUF 21	25	NPT 1/2"	66.7


ACCESSORIES ZUBEHÖR

hose tail with male thread 90°




Part No.	Ø
112 EB 21.13	13
112 EB 21.16	16

Push-lock hose tail with male thread 90°




Part No.	Ø
112 EF 21.13	12.8
112 EF 21.16	16

Male / Female



Part No.	Ø
112 EN 21	BSP 1/2"
112 NN 21	NPT 1/2"

Male / Push-lock hose tail



Part No.	Ø
EHF 21-13	13
EHF 21-16	16



DN10-25

SERIE 152mono

HYDRAULIC COUPLINGS

HYDRAULISCHE KUPPLUNGEN

Materials



Material Code

A = Brass

B = Brass

C = Brass

S = AISI 303*

TST 152.20 → Brass

TST 152.25 → Brass



0 - 50 bar



-26°C to + 200°C (FPM)

Shut Off
Type


Applications

- Temperature controlling


FF

Compatible with


TST DESIGN

DN 10-25 mm


QUICK COUPLINGS SCHNELLKUPPLUNGEN



Part no.	Ø	SW	Ød	L
152.10 DGB 17	BSP 3/8"	25	28.9	53.7
152.12 DGB 21	BSP 1/2"	30	34	57.5
152.16 DGB 26	BSP 3/4"	36	44.5	72.4
152.20 DGB 33	BSP 1"	46	59	91.5
152.25 DGB 42	BSP 1 1/4"	40	67	140.8




Part no.	Ø	SW	Ød	L
152.10 HGB 13	13	25	28.9	69.7
152.12 HGB 16	16	30	34	73.5
152.16 HGB 19	19	-	44.5	85.9




Part no.	Ø	SW	Ød	L
152.10 FGB 13	13	25	28.9	70
152.12 FGB 16	16	30	34	73.5
152.16 FGB 19	19	-	44.5	90.9


PLUGS STECKNIPPEL



Part no.	Ø	SW	L
152.10 DUB 17	BSP 3/8"	25	63.7
152.12 DUB 21	BSP 1/2"	30	66.7
152.16 DUB 26	BSP 3/4"	36	82.8
152.20 DUB 33	BSP 1"	46	99.5
152.25 DUB 42	BSP 1 1/4"	50	148.5



Part no.	Ø	SW	L
152.10 HUB 13	13	25	79.7
152.12 HUB 16	16	30	80.3
152.16 HUB 19	19	-	96.3



Part no.	Ø	SW	L
152.10 FUB 13	13	25	80
152.12 FUB 16	16	30	90
152.16 FUB 19	19	-	101.3